(in accordance with Regulation (EU) 2020/878)

VENTURA BULKFILL FLOW



///adespa

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING.

1.1 Product identifier.

Product Name: VENTURA BULKFILL FLOW

1.2 Relevant identified uses of the substance or mixture and uses advised against.

For dental use Dental fillings

Uses advised against:

Uses other than those recommended.

1.3 Details of the supplier of the safety data sheet.

Company: MADESPA, S.A.
Address: Calle Río Torviscal, 8
City: 45007 - Toledo
Province: Toledo

Province: Toledo Telephone: 925 241 025

E-mail: calidad@madespa.com Web: www.madespa.com

1.4 Emergency telephone number: 925 241 025 (Only available during office hours; Monday-Friday; 07:00-15:00)

SECTION 2: HAZARDS IDENTIFICATION.

2.1 Classification of the substance or mixture.

In accordance with Regulation (EC) No 1272/2008:

Aquatic Chronic 4: May cause long lasting harmful effects to aquatic life.

Eye Irrit. 2 : Causes serious eye irritation.

Skin Irrit. 2: Causes skin irritation.

Skin Sens. 1: May cause an allergic skin reaction.

2.2 Label elements.

Labelling in accordance with Regulation (EC) No 1272/2008:

Pictograms:



Signal Word:

Warning

Hazard statements:

H315 Causes skin irritation.

H317 May cause an allergic skin reaction. H319 Causes serious eve irritation.

H413 May cause long lasting harmful effects to aquatic life.

Precautionary statements:

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P273 Avoid release to the environment.

P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection/...

P302+P352 IF ON SKIN: Wash with plenty of water/...

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and

easy to do. Continue rinsing.

P321 Specific treatment (see ... on this label).

-Continued on next page.-

(in accordance with Regulation (EU) 2020/878)

VENTURA BULKFILL FLOW



Version 1 Date of compilation: 12/07/2019 Page 2 of 9
Version 3 (replaces version 2) Revision date: 22/05/2024 Print date: 23/05/2024

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.
P337+P313 If eye irritation persists: Get medical advice/attention.
P362+P364 Take off contaminated clothing and wash it before reuse.

P501 Dispose of contents/container to ...

Contains:

Bisphenol A glycidylmethacrylate

2.3 Other hazards.

The mixture does not contain substances classified as PBT.

The mixture does not contain substances classified as vPvB.

The mixture does not contain any endocrine disrupting properties substances.

In normal use conditions and in its original form, the product itself does not involve any other risk for health and the environment.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS.

3.1 Substances.

Not applicable.

3.2 Mixtures.

Substances posing a danger to health or the environment in accordance with the Regulation (EC) No. 1272/2008, assigned a Community exposure limit in the workplace, and classified as PBT/vPvB or included in the Candidate List:

	Name	Concentrate	(*)Classification - Regulation (EC) No 1272/2008	
Identifiers			Classification	Specifics concentration limits and Acute toxicity estimate
CAS No: 41637-38-1 Registration No: 01- 2119980659-17-XXXX	Esterification products of 4,4'- isopropylidenediphenol, ethoxylated and 2- methylprop-2-enoic acid	25 - 50 %	Aquatic Chronic 4, H413	-
CAS No: 1565-94-2 EC No: 216-367-7	Bisphenol A glycidylmethacrylate	10 - 50 %	Eye Irrit. 2, H319 - Skin Irrit. 2, H315 - Skin Sens. 1, H317	-

^(*) The complete text of the H phrases is given in section 16 of this Safety Data Sheet.

SECTION 4: FIRST AID MEASURES.

IRRITANT MIXTURE. Its repeated or prolonged contact with the skin or mucous membranes can cause irritant symptoms such as reddening of the skin, blisters, or dermatitis. Some of the symptoms may not be immediate. They can cause allergic reactions on the skin.

4.1 Description of first aid measures.

In case of doubt or when symptoms of feeling unwell persist, get medical attention. Never administer anything orally to persons who are unconscious.

Inhalation.

Take the victim into open air; keep them warm and calm. If breathing is irregular or stops, perform artificial respiration.

Eye contact.

Remove contact lenses, if present and if it is easy to do. Wash eyes with plenty of clean and cool water for at least 10 minutes while pulling eyelids up, and seek medical assistance. Don't let the person to rub the affected eye.

Skin contact.

Remove contaminated clothing. Wash skin vigorously with water and soap or a suitable skin cleaner. NEVER use solvents or thinners.

Ingestion.

If accidentally ingested, seek immediate medical attention. Keep calm. NEVER induce vomiting.

(in accordance with Regulation (EU) 2020/878)

VENTURA BULKFILL FLOW



Page 3 of 9

Version 1 Date of compilation: 12/07/2019

Version 3 (replaces version 2) Revision date: 22/05/2024 Print date: 23/05/2024

4.2 Most important symptoms and effects, both acute and delayed.

Irritant Product, repeated or prolonged contact with skin or mucous membranes can cause redness, blisters or dermatitis, inhalation of spray mist or particles in suspension may cause irritation of the respiratory tract, some symptoms may not be immediate.

It may cause an allergic reaction, dermatitis, redness or inflammation of the skin.

4.3 Indication of any immediate medical attention and special treatment needed.

In case of doubt or when symptoms of feeling unwell persist, get medical attention. Never administer anything orally to persons who are unconscious. Cover the affected area with a dry sterile bandage. Protect the affected area from pressure or friction.

SECTION 5: FIREFIGHTING MEASURES.

The product does not present any particular risk in case of fire.

5.1 Extinguishing media.

Suitable extinguishing media:

Extinguisher powder or CO2. In case of more serious fires, also alcohol-resistant foam and water spray.

Unsuitable extinguishing media:

Do not use a direct stream of water to extinguish. In the presence of electrical voltage, you cannot use water or foam as extinguishing media.

5.2 Special hazards arising from the substance or mixture.

Special risks.

Exposure to combustion or decomposition products can be harmful to your health.

5.3 Advice for firefighters.

Use water to cool tanks, cisterns, or containers close to the heat source or fire. Take wind direction into account. Prevent the products used to fight the fire from going into drains, sewers, or waterways.

Fire protection equipment.

According to the size of the fire, it may be necessary to use protective suits against the heat, individual breathing equipment, gloves, protective goggles or facemasks, and boots.

SECTION 6: ACCIDENTAL RELEASE MEASURES.

6.1 Personal precautions, protective equipment and emergency procedures.

For exposure control and individual protection measures, see section 8.

6.2 Environmental precautions.

Product not classified as hazardous for the environment, avoid spillage as much as possible.

6.3 Methods and material for containment and cleaning up.

Contain and collect spillage with inert absorbent material (earth, sand, vermiculite, Kieselguhr...) and clean the area immediately with a suitable decontaminant.

Deposit waste in closed and suitable containers for disposal, in compliance with local and national regulations (see section 13).

6.4 Reference to other sections.

For exposure control and individual protection measures, see section 8.

For later elimination of waste, follow the recommendations under section 13.

SECTION 7: HANDLING AND STORAGE.

7.1 Precautions for safe handling.

For personal protection, see section 8.

In the application area, smoking, eating, and drinking must be prohibited.

Follow legislation on occupational health and safety.

Never use pressure to empty the containers. They are not pressure-resistant containers. Keep the product in containers made of a material identical to the original.

(in accordance with Regulation (EU) 2020/878)

VENTURA BULKFILL FLOW



Date of compilation: 12/07/2019 Version 1

Page 4 of 9 Version 3 (replaces version 2) **Revision date: 22/05/2024** Print date: 23/05/2024

7.2 Conditions for safe storage, including any incompatibilities.

Store according to local legislation. Observe indications on the label. Store the containers between 5 and 25 ° C, in a dry and well-ventilated place, far from sources of heat and direct solar light. Keep far away from ignition points. Keep away from oxidising agents and from highly acidic or alkaline materials. Do not smoke. Prevent the entry of non-authorised persons. Once the containers are open, they must be carefully closed and placed vertically to prevent spills.

The product is not affected by Directive 2012/18/EU (SEVESO III).

7.3 Specific end use(s).

Not available.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION.

8.1 Control parameters.

The product does NOT contain substances with Professional Exposure Environmental Limit Values. The product does NOT contain substances with Biological Limit Values.

8.2 Exposure controls.

Measures of a technical nature:

Provide adequate ventilation, which can be achieved by using good local exhaust-ventilation and a good general exhaust system.

Breathing protection: If the recommended technical measures are observed, no individual protection equipment is necessary. Hand protection: PPE:	100 %					
If the recommended technical measures are observed, no individual protection equipment is necessary. Hand protection: PPE:	For dental use Dental fillings					
PPE: Characteristics:						
PPE: Characteristics:						
Characteristics: CEN standards: CEN						
CEN standards: EN 374-1, En 374-2, EN 374-3, EN 420 Keep in a dry place, away from any sources of heat, and avoid exposure to sunlight as much as po Do not make any changes to the gloves that may alter their resistance, or apply paints, solvents or adhesives. Gloves should be of the appropriate size and fit the user's hand well, not being too loose or too tig Always use with clean, dry hands. Material: PVC (polyvinyl chloride) Breakthrough time (min.): Eye protection: PPE: Characteristics: CEN standards: Naintenance: Observations: Skin protection: PPE: Characteristics: CE» marking, category II. Eye protector against dust and smoke. Visibility through lenses should be ideal. Therefore, these parts should be cleaned daily. Protectors be disinfected periodically following the manufacturer's instructions. Some signs of wear and tear include: yellow colouring of the lenses, superficial scratching of the lenses scraping etc. Skin protection: PPE: Characteristics: CE» marking, category II. Protective clothing should not be too tight or loose in order not to obstruct the user's movements. EN 340 In order to quarantee uniform protection follow the washing and maintenance instructions provides.						
Keep in a dry place, away from any sources of heat, and avoid exposure to sunlight as much as po Do not make any changes to the gloves that may alter their resistance, or apply paints, solvents or adhesives. Observations: Material: PVC (polyvinyl chloride) PVC (polyvinyl chloride) PVC (polyvinyl chloride) Protective goggles against particle impacts. Characteristics: CEN standards: PVI (polyvinyl chloride) Protective goggles against particle impacts. CEN standards: EN 165, EN 166, EN 167, EN 168 Visibility through lenses should be ideal. Therefore, these parts should be cleaned daily. Protectors be disinfected periodically following the manufacturer's instructions. Observations: Skin protection: PPE: Characteristics: CEN marking, category II. Protective clothing should not be too tight or loose in order not to obstruct the user's movements. EN 340 In order to quarantee uniform protection, follow the washing and maintenance instructions provided.						
Maintenance: Observations: Do not make any changes to the gloves that may alter their resistance, or apply paints, solvents or adhesives. Gloves should be of the appropriate size and fit the user's hand well, not being too loose or too tight always use with clean, dry hands. Material: PVC (polyvinyl chloride) Breakthrough time (min.): PYC (polyvinyl chloride) Protective goggles against particle impacts. CEP marking, category II. Eye protector against dust and smoke. EN 165, EN 166, EN 167, EN 168 Maintenance: Observations: Visibility through lenses should be ideal. Therefore, these parts should be cleaned daily. Protectors be disinfected periodically following the manufacturer's instructions. Some signs of wear and tear include: yellow colouring of the lenses, superficial scratching of the lenses craping etc. Skin protection: PPE: Protective clothing. CEP marking, category II. Protective clothing should not be too tight or loose in order not to obstruct the user's movements. EN 340 In order to quarantee uniform protection, follow the washing and maintenance instructions provides.						
adhesives. Gloves should be of the appropriate size and fit the user's hand well, not being too loose or too tight Always use with clean, dry hands. Material: PVC (polyvinyl chloride) PVE (polyvinyl chloride) PVE (polyvinyl chloride) PVE: Characteristics: CE» marking, category II. Eye protector against dust and smoke. EN 165, EN 166, EN 167, EN 168 Visibility through lenses should be ideal. Therefore, these parts should be cleaned daily. Protectors be disinfected periodically following the manufacturer's instructions. Some signs of wear and tear include: yellow colouring of the lenses, superficial scratching of the lenses are protection. PVE: Characteristics: CEN standards: PVC (polyvinyl chloride) Protective goggles against particle impacts. "CE» marking, category II. Eye protector against dust and smoke. Visibility through lenses should be ideal. Therefore, these parts should be cleaned daily. Protectors be disinfected periodically following the manufacturer's instructions. Some signs of wear and tear include: yellow colouring of the lenses, superficial scratching of the lenses are protection. Skin protection: PPE: Protective clothing. «CE» marking, category II. Protective clothing should not be too tight or loose in order not to obstruct the user's movements. EN 340 In order to quarantee uniform protection, follow the washing and maintenance instructions provides.						
Observations: Gloves should be of the appropriate size and fit the user's hand well, not being too loose or too tight Always use with clean, dry hands. Material: PVC (polyvinyl chloride) Breakthrough time (min.): PPE: Characteristics: CEN standards: Maintenance: Observations: Observations: PFE: Characteristics: CEN standards: Observations: Protective goggles against particle impacts. CEN 165, EN 166, EN 167, EN 168 Visibility through lenses should be ideal. Therefore, these parts should be cleaned daily. Protectors be disinfected periodically following the manufacturer's instructions. Some signs of wear and tear include: yellow colouring of the lenses, superficial scratching of the lenses scraping etc. Skin protection: PPE: Characteristics: CEN standards: Protective clothing. «CE» marking, category II. Protective clothing should not be too tight or loose in order not to obstruct the user's movements. EN 340 In order to guarantee uniform protection, follow the washing and maintenance instructions provides.						
Always use with clean, dry hands. Material: PVC (polyvinyl chloride) Breakthrough time (min.): A80 Material thickness (mm): Eye protection: PPE: Protective goggles against particle impacts. Characteristics: «CE» marking, category II. Eye protector against dust and smoke. EN 165, EN 166, EN 167, EN 168 Waintenance: Visibility through lenses should be ideal. Therefore, these parts should be cleaned daily. Protectors be disinfected periodically following the manufacturer's instructions. Some signs of wear and tear include: yellow colouring of the lenses, superficial scratching of the less craping etc. Skin protection: PPE: Protective clothing. «CE» marking, category II. Protective clothing should not be too tight or loose in order not to obstruct the user's movements. EN 340 In order to quarantee uniform protection, follow the washing and maintenance instructions provides.						
Material: PVC (polyvinyl chloride) Breakthrough time (min.): 0,35 Eye protection: PPE: Protective goggles against particle impacts. (CE» marking, category II. Eye protector against dust and smoke. (CEN standards: EN 165, EN 166, EN 167, EN 168 Maintenance: Wisibility through lenses should be ideal. Therefore, these parts should be cleaned daily. Protectors be disinfected periodically following the manufacturer's instructions. Some signs of wear and tear include: yellow colouring of the lenses, superficial scratching of the lenses order not to obstruct the user's movements. (CEN standards: EN 340) In order to quarantee uniform protection, follow the washing and maintenance instructions provides.						
Protection: Protective goggles against particle impacts. Characteristics: Characteristics: Characteristics: CEN standards: EN 165, EN 166, EN 167, EN 168 Visibility through lenses should be ideal. Therefore, these parts should be cleaned daily. Protectors be disinfected periodically following the manufacturer's instructions. Some signs of wear and tear include: yellow colouring of the lenses, superficial scratching of the less scraping etc.						
PPE: Protective goggles against particle impacts. Characteristics: «CE» marking, category II. Eye protector against dust and smoke. CEN standards: EN 165, EN 166, EN 167, EN 168 Maintenance: Visibility through lenses should be ideal. Therefore, these parts should be cleaned daily. Protectors be disinfected periodically following the manufacturer's instructions. Some signs of wear and tear include: yellow colouring of the lenses, superficial scratching of the less scraping etc. Skin protection: PPE: Protective clothing. Characteristics: CE» marking, category II. Protective clothing should not be too tight or loose in order not to obstruct the user's movements. EN 340 In order to quarantee uniform protection, follow the washing and maintenance instructions provides.						
PPE: Protective goggles against particle impacts. Characteristics: «CE» marking, category II. Eye protector against dust and smoke. EN 165, EN 166, EN 167, EN 168 Maintenance: Visibility through lenses should be ideal. Therefore, these parts should be cleaned daily. Protectors be disinfected periodically following the manufacturer's instructions. Some signs of wear and tear include: yellow colouring of the lenses, superficial scratching of the less scraping etc. Skin protection: PPE: Protective clothing. Characteristics: «CE» marking, category II. Protective clothing should not be too tight or loose in order not to obstruct the user's movements. EN 340 In order to quarantee uniform protection, follow the washing and maintenance instructions provides.						
CEN standards: Maintenance: Observations: Skin protection: PPE: Characteristics: CEN standards: EN 165, EN 166, EN 167, EN 168 Visibility through lenses should be ideal. Therefore, these parts should be cleaned daily. Protectors be disinfected periodically following the manufacturer's instructions. Some signs of wear and tear include: yellow colouring of the lenses, superficial scratching of the lenses scraping etc. Protective clothing. «CE» marking, category II. Protective clothing should not be too tight or loose in order not to obstruct the user's movements. EN 340 In order to quarantee uniform protection, follow the washing and maintenance instructions provides.	Protective goggles against particle impacts.					
Maintenance: Observations: Skin protection: PPE: Characteristics: CEN standards: Visibility through lenses should be ideal. Therefore, these parts should be cleaned daily. Protectors be disinfected periodically following the manufacturer's instructions. Some signs of wear and tear include: yellow colouring of the lenses, superficial scratching of the lenses of the lenses, superficial scratching of the lenses. Skin protection: PPE: Characteristics: CEN standards: Protective clothing. «CE» marking, category II. Protective clothing should not be too tight or loose in order not to obstruct the user's movements. EN 340 In order to quarantee uniform protection, follow the washing and maintenance instructions provides						
be disinfected periodically following the manufacturer's instructions. Some signs of wear and tear include: yellow colouring of the lenses, superficial scratching of the lenses, superficial scratching of the lenses of the lenses. Skin protection: PPE: Characteristics: CEN standards: Protective clothing. «CE» marking, category II. Protective clothing should not be too tight or loose in order not to obstruct the user's movements. EN 340 In order to quarantee uniform protection, follow the washing and maintenance instructions provides	EN 165, EN 166, EN 167, EN 168					
Skin protection: PPE: Protective clothing. Characteristics: «CE» marking, category II. Protective clothing should not be too tight or loose in order not to obstruct the user's movements. CEN standards: EN 340 In order to guarantee uniform protection, follow the washing and maintenance instructions provides						
PPE: Protective clothing. Characteristics: «CE» marking, category II. Protective clothing should not be too tight or loose in order not to obstruct the user's movements. CEN standards: EN 340 In order to guarantee uniform protection, follow the washing and maintenance instructions provides						
Characteristics: CEN standards: «CE» marking, category II. Protective clothing should not be too tight or loose in order not to obstruct the user's movements. EN 340 In order to guarantee uniform protection, follow the washing and maintenance instructions provides						
order not to obstruct the user's movements. CEN standards: EN 340 In order to guarantee uniform protection, follow the washing and maintenance instructions provide						
In order to quarantee uniform protection, follow the washing and maintenance instructions provide						
In order to guarantee uniform protection, follow the washing and maintenance instructions provide						
the manufacturer.						
	The protective clothing should offer a level of comfort in line with the level of protection provided in terms of the hazard against which it protects, bearing in mind environmental conditions, the user's level					
	of activity and the expected time of use.					
PPE: Work footwear.						
1	«CE» marking, category II.					
	EN ISO 13287, EN 20347					
	This product adapts to the first user's foot shape. That is why, as well as for hygienic reasons, it should					

(in accordance with Regulation (EU) 2020/878)

VENTURA BULKFILL FLOW



Date of compilation: 12/07/2019 Version 1

Page 5 of 9 Print date: 23/05/2024 **Version 3 (replaces version 2) Revision date: 22/05/2024**

Work footwear for professional use includes protection elements aimed at protecting users against any Observations:

injury resulting from an accident

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES.

9.1 Information on basic physical and chemical properties.

Physical state: Solid

Colour: Not applicable/Not available due to the nature/properties of the product

Odour: Characteristic

Odour threshold: Not applicable/Not available due to the nature/properties of the product Melting point: Not applicable/Not available due to the nature/properties of the product Freezing point: Not applicable/Not available due to the nature/properties of the product

Boiling point or initial boiling point and boiling range: 150 °C

Flammability: Not applicable/Not available due to the nature/properties of the product Lower explosion limit: Not applicable/Not available due to the nature/properties of the product Upper explosion limit: Not applicable/Not available due to the nature/properties of the product Flash point: 110 °C

Auto-ignition temperature: Not applicable/Not available due to the nature/properties of the product Decomposition temperature: Not applicable/Not available due to the nature/properties of the product

pH: Not applicable/Not available due to the nature/properties of the product

Kinematic viscosity: Not applicable/Not available due to the nature/properties of the product

Solubility: Not applicable/Not available due to the nature/properties of the product Hydrosolubility: Not applicable/Not available due to the nature/properties of the product Liposolubility: Not applicable/Not available due to the nature/properties of the product

Partition coefficient n-octanol/water (log value): Not applicable/Not available due to the nature/properties of the product

Vapour pressure: Not applicable/Not available due to the nature/properties of the product Absolute density: Not applicable/Not available due to the nature/properties of the product Relative density: Not applicable/Not available due to the nature/properties of the product Relative vapour density: Not applicable/Not available due to the nature/properties of the product Particle characteristics: Not applicable/Not available due to the nature/properties of the product

9.2 Other information

Not applicable/Not available due to the nature/properties of the product

SECTION 10: STABILITY AND REACTIVITY.

10.1 Reactivity.

The product does not present hazards by their reactivity.

10.2 Chemical stability.

Stable under the recommended handling and storage conditions (see section 7). Sensibility to light

10.3 Possibility of hazardous reactions.

The product does not present possibility of hazardous reactions.

10.4 Conditions to avoid.

Avoid any improper handling.

Keep away from UV Radiation-sunlight

10.5 Incompatible materials.

Keep away from oxidising agents and from highly alkaline or acidic materials in order to prevent exothermic reactions.

10.6 Hazardous decomposition products.

No decomposition if used for the intended uses.

SECTION 11: TOXICOLOGICAL INFORMATION.

IRRITANT MIXTURE. Splashes in the eyes can cause irritation.

IRRITANT MIXTURE. Its repeated or prolonged contact with the skin or mucous membranes can cause irritant symptoms such as reddening of the skin, blisters, or dermatitis. Some of the symptoms may not be immediate. They can cause allergic reactions on the skin.

(in accordance with Regulation (EU) 2020/878)

VENTURA BULKFILL FLOW



Date of compilation: 12/07/2019 Version 1

Page 6 of 9 Print date: 23/05/2024 **Version 3 (replaces version 2) Revision date: 22/05/2024**

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008.

There are no tested data available on the product.

Repeated or prolonged contact with the product can cause the elimination of oil from the skin, giving rise to non-allergic contact dermatitis and absorption of the product through the skin.

a) acute toxicity:

Not conclusive data for classification.

b) skin corrosion/irritation;

Product classified:

Skin irritant, Category 2: Causes skin irritation.

c) serious eye damage/irritation;

Product classified:

Eye irritation, Category 2: Causes serious eye irritation.

d) respiratory or skin sensitisation;

Product classified:

Skin sensitiser, Category 1: May cause an allergic skin reaction.

e) germ cell mutagenicity;

Not conclusive data for classification.

f) carcinogenicity;

Not conclusive data for classification.

g) reproductive toxicity;

Not conclusive data for classification.

h) STOT-single exposure;

Not conclusive data for classification.

i) STOT-repeated exposure;

Not conclusive data for classification.

j) aspiration hazard;

Not conclusive data for classification.

11.2 Information on other hazards.

Endocrine disrupting properties

This product does not contain components with endocrine-disrupting properties with effects on human health.

Other information

There is no information available on other adverse health effects.

SECTION 12: ECOLOGICAL INFORMATION.

No information is available regarding the ecotoxicity of the substances present.

12.2 Persistence and degradability.

No information is available regarding the biodegradability of the substances present.

No information is available on the degradability of the substances present.

No information is available about persistence and degradability of the product.

12.3 Bioaccumulative potential.

No information is available regarding the bioaccumulation of the substances present.

12.4 Mobility in soil.

No information is available about the mobility in soil.

The product must not be allowed to go into sewers or waterways.

Prevent penetration into the ground.

12.5 Results of PBT and vPvB assessment.

No information is available about the results of PBT and vPvB assessment of the product.

(in accordance with Regulation (EU) 2020/878)

VENTURA BULKFILL FLOW



∕**∕∕**adespa

12.6 Endocrine disrupting properties.

This product doesn't contain components with environmental endocrine disrupting properties.

12.7 Other adverse effects.

The product is not affected by the Regulation (EC) No 1005/2009 of the European Parliament and of the Council of 16 September 2009 on substances that deplete the ozone layer.

No information is available about other adverse effects for the environment.

SECTION 13: DISPOSAL CONSIDERATIONS.

13.1 Waste treatment methods.

Do not dump into sewers or waterways. Waste and empty containers must be handled and eliminated according to current, local/national legislation.

Follow the provisions of Directive 2008/98/EC regarding waste management.

SECTION 14: TRANSPORT INFORMATION.

Transportation is not dangerous. In case of road accident causing the product's spillage, proceed in accordance with point 6.

14.1 UN number or ID number.

Transportation is not dangerous.

14.2 UN proper shipping name.

Description:

ADR/RID: Not classified as hazardous for transport. IMDG: Not classified as hazardous for transport.

ICAO/IATA: Not classified as hazardous for transport.

14.3 Transport hazard class(es).

Transportation is not dangerous.

14.4 Packing group.

Transportation is not dangerous.

14.5 Environmental hazards.

Transportation is not dangerous.

Transport by ship, FEm – Emergency sheets (F – Fire, S - Spills): Not applicable.

14.6 Special precautions for user.

Transportation is not dangerous.

14.7 Maritime transport in bulk according to IMO instruments.

Not classified as hazardous for transport.

SECTION 15: REGULATORY INFORMATION.


15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture.

The product is not affected by Regulation (EU) No 528/2012 concerning the making available on the market and use of biocidal products.

The product is not affected by the procedure established Regulation (EU) No 649/2012, concerning the export and import of dangerous chemicals.

Restrictions on the manufacturing, placing on the market and use of certain dangerous substances, mixtures and articles:

Designation of the substance, of the group of substances or of the mixture	Conditions of restriction
3. Liquid substances or mixtures fulfilling	1. Shall not be used in:



(in accordance with Regulation (EU) 2020/878)

VENTURA BULKFILL FLOW

Date of compilation: 12/07/2019 Version 1

Page 8 of 9 Print date: 23/05/2024 **Version 3 (replaces version 2)** Revision date: 22/05/2024



the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008:

- (a) hazard classes 2.1 to 2.4, 2.6 and 2.7, 2.8 types A and B, 2.9, 2.10, 2.12, 2.13 categories 1 and 2, 2.14 categories 1 and 2, 2.15 types A to F;
- (b) hazard classes 3.1 to 3.6, 3.7 adverse effects on sexual function and fertility or on development, 3.8 effects other than narcotic effects, 3.9 and 3.10;
- (c) hazard class 4.1:
- (d) hazard class 5.1.

- ornamental articles intended to produce light or colour effects by means of different phases, for example in ornamental lamps and ashtrays,
- tricks and jokes,
- games for one or more participants, or any article intended to be used as such, even with ornamental aspects,
- 2. Articles not complying with paragraph 1 shall not be placed on the market.
- 3. Shall not be placed on the market if they contain a colouring agent, unless required for fiscal reasons, or perfume, or both, if they:
- can be used as fuel in decorative oil lamps for supply to the general public,
- present an aspiration hazard and are labelled with H304,
- 4. Decorative oil lamps for supply to the general public shall not be placed on the market unless they conform to the European Standard on Decorative oil lamps (EN 14059) adopted by the European Committee for Standardisation (CEN).
- 5. Without prejudice to the implementation of other Community provisions relating to the classification, packaging and labelling of dangerous substances and mixtures, suppliers shall ensure, before the placing on the market, that the following requirements are met:
- (a) lamp oils, labelled with H304, intended for supply to the general public are visibly, legibly and indelibly marked as follows: 'Keep lamps filled with this liquid out of the reach of children'; and, by 1 December 2010, 'Just a sip of lamp oil - or even sucking the wick of lamps - may lead to life-threatening lung damage';
- (b) grill lighter fluids, labelled with H304, intended for supply to the general public are legibly and indelibly marked by 1 December 2010 as follows: 'Just a sip of grill lighter may lead to life threatening lung damage';
- (c) lamp oils and grill lighters, labelled with H304, intended for supply to the general public are packaged in black opaque containers not exceeding 1 litre by 1 December 2010.

15.2 Chemical safety assessment.

No Chemical Safety Assessment has been carried out for this substance/mixture by the supplier.

SECTION 16: OTHER INFORMATION.

Complete text of the H phrases that appear in section 3:

H315 Causes skin irritation.

H317 May cause an allergic skin reaction. Causes serious eye irritation. H319

May cause long lasting harmful effects to aquatic life. H413

Classification codes:

Aquatic Chronic 4: Chronic effect to the aquatic environment, Category 4

Eye Irrit. 2: Eye irritation, Category 2 Skin Irrit. 2: Skin irritant, Category 2 Skin Sens. 1: Skin sensitiser, Category 1

Changes regarding to the previous version:

- Changes in the information of the supplier (SECTION 1.3).
- Modification of specific hazards (SECTION 2.3).
- Modification in the firefighting measures (SECTION 5.2).
- Modifications in the accidental release measures (SECTION 6.1).
- Modification in the values of the physical and chemical properties (SECTION 9).
- Change in the hazard classification (SECTION 11.1).
- Modification of the classification ADR/IMDG/ICAO/IATA/RID (SECTION 14).
- National legislative changes (SECTION 15.1).

(in accordance with Regulation (EU) 2020/878)

VENTURA BULKFILL FLOW



Date of compilation: 12/07/2019 Version 1

Page 9 of 9 Print date: 23/05/2024 **Version 3 (replaces version 2) Revision date: 22/05/2024**

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

Physical hazards On basis of test data Health hazards Calculation method Environmental hazards Calculation method

It is advisable to carry out basic training with regard to health and safety at work in order to handle this product correctly.

Abbreviations and acronyms used:

European Committee for Standardization.

PPE: Personal protection equipment.

Key literature references and sources for data: http://eur-lex.europa.eu/homepage.html http://echa.europa.eu/ Regulation (EU) 2020/878. Regulation (EC) No 1907/2006. Regulation (EC) No 1272/2008.

The information given in this Safety Data Sheet has been drafted in accordance with COMMISSION REGULATION (EU) 2020/878 of 18 June 2020 amending Annex II to Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemical substances and mixtures (REACH).

The information in this Safety Data Sheet on the Preparation is based on current knowledge and on current EC and national laws, as far as the working conditions of the users is beyond our knowledge and control. The product must not be used for purposes other than those that are specified without first having written instructions on how to handle. It is always the responsibility of the user to take the appropriate measures in order to comply with the requirements established by current legislation. The information contained in this Safety Sheet only states a description of the safety requirements for the preparation, and it must not be considered as a guarantee of its properties.